
Ecophon Hygiene Performance™ Care Wall

Ecophon Hygiene Performance™ Care Wall is an easy to clean, sound absorbing wall panel system for healthcare applications or other areas with elevated hygiene standards. The surface is resistant to common detergents and disinfectants. The panels withstand steam cleaning.



SYSTEM RANGE

40	Size, mm	2700x1200
	Thinline Profile	•
	Thickness (THK)	40
	Inst. Diagr.	M610



-1/1/~




Acoustic

Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654.

 $\alpha_{_{D^\prime}}$ Practical sound absorption coefficient



- Hygiene Performance Care Wall 40 mm, 50 mm o.d.s.
- o.d.s = overall depth of system

THK	o.d.s. mm		$lpha_{ m p'}$ P	ractical so	ound absorption	n coefficient		α	Sound absorption class
mm	0.0.3. 11111	125 Hz	250 Hz	500 H	z 1000 Hz	2000 Hz	4000 Hz	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Sound absorption class
40	50	0.20	0.75	1.00	1.00	1.00	1.00	1.00	A
		-			-				
TH	К	o.d.s. mm		IRC	SAA				



Indoor Air Quality

40

Certificate / Label		OR AIR COMP	
Eurofins Indoor Air Comfort®	IAC Gold	SPATIFIED PRODUC	
French VOC	A+	-	

0.96



Cradle to Cradle Certified®

50

This product is Cradle to Cradle Certified® at Bronze level (version 4.0).

0.95



Material Health

Corrent Correction

This product has received a C2C Certified Material Health Certificate™ at the Silver level (standard version 4.0). The C2C Certified Material Health Certificate™ is a verification of the health and safety of a product's composition Carros using the Material Health requirements of the Cradle-to-Cradle Certified Product Standard.



Circularity

Minimum post-consumer recycled content	58%
Recyclability	Fully recyclable

© Saint-Gobain Ecophon AB



Fire safety

Country	Fire standard	Class	The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.
Europe	en 13501-1	A2-s1,d0	



Humidity Resistance

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



Visual appearance

White 500, nearest NCS colour sample S 0500-N, 84% light reflectance.



Cleanability

Standard/Method	Frequency
Dusting	Daily
Wet wiping	Weekly
Steam cleaning	4/year
Hydrogen peroxide vapor	•



Surface Endurance

Product tested according to ISO 11998, and withstand 200 cycles.



Chemical resistance/Disinfection

	•		
Chemical	Active Substance	Concentration	Tested according to ISO 11998 and withstands the following chemicals or disinfectants.
Actichlor plus	NaDCC (Sodium Dichloroisocyanurate)	1%	tonowing chemicals of disinfectaris.
LifeClean	Chlorine dioxide	Undiluted	
Etanol	Etanol	70%	
Chlorine	Sodium Hypochlorite solution	2,5%	
Virkon S	Dipotassium peroxodisulphate; Sulphamidic acid	1%	
Isopropanol	Isopropyl Alcohol	70%	
Oxivir Excel	Hydrogen peroxide	0,5%	
Sumabac D10	Quaternary ammonium compound, Sodium carbonate	1%	
Suredis VT1	n-(3-aminopropyl)-n- dodecylpropan-1,3-diamin	1%	
Enduro Chlor VE5	Potassium hydroxide	1,5%	
Aciplusfoam VF59	Nitric Acid	5%	



Mould and Bacterial Resistance

Standard/Method	Class
ISO 846 :2019 method C (for bacterium)	0 (No growth under the microscope)
ASTM D3273-16 (for fungi)	10 (0% growth on the surface)

Clean Room

	Standard/Method	Class
ISO 14644	Particle cleanliness class	ISO 4
NF S 90-351	Microbiological class	M1/area 4
NF S 90-351	Particle elimination kinetics	CP(0,5) 5



Accessibility

The tiles are not demountable except in selected installation diagrams. See quantity specification for more information.



System weight

Hygiene Performance Care Wall

kg/m²	Weight information is indicative and subject to variation.
3,7	



Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification.



Mechanical properties


See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.



CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.

INSTALLATION DIAGRAM (M610) FOR ECOPHON HYGIENE PERFORMANCE™ CARE WALL INSTALLATION WITH CONNECT THINLINE PROFILE.




QUANTITY SPECIFICATION (EXCL. WASTAGE)

	Size, mm
	2700×1200
Hygiene Performance Care Wall	0,31/m²
Connect Thinline Profile, L=2658 mm	as required
Connect Thinline Ext. Corner	as required
Installation screw, installed at 200 mm centres (select fastener according to wall material)	as required
Connect Thinline Space Bar	as required
Δ Overall depth of system: 45 mm	



See Quantity specification



Detail of panel with Thinline system

Size, mm Max live Min load bearing load [N] capacity [N] 2700x1200x40 -

Live load/load bearing capacity